

ಶ್ರೀ ಸುಭಾಷ್ ಅಸ್ತರೆ.—ಫೆಸ್ಕೆ ಸ್ಟೇಜ್ ನಾರಾಯಾಪುರ್ ಕೆಲಕೆ ನೆನೆಪುತ್ತಿದೆ. ಅದು ಇನ್ನೂ ಪೂರ್ಣವಾಗದೆ ಇರುವುದರಿಂದ ಫೆಸ್ಕೆ ಸ್ಟೇಜ್‌ಗೆ ಇಷ್ಟೇ ೨೧.೩೨ ಕೆ ಎಮ್. ಎಗ್. ಮಾಡುವುದಕ್ಕೆ ಬರುವುದಿಲ್ಲ. ಅದರಲ್ಲಿಗೆ ೨೨೦ ಕೋಟಿ ರೂಪಾಯಿ ಖರ್ಚಾಗಬಹುದು ನಾವು ಮಲ್ಟಿ ಬ್ಯಾಂಕ್‌ಗೆ ನಮ್ಮ ಪಾಜೆಕ್ಸ್ ಡಿಟೇಲ್ಸ್‌ನ್ನು ಕೊಟ್ಟಿದ್ದೇವೆ ಅವರು ಎಷ್ಟು ಕೊಡುತ್ತಾರೋಂದು ಕಾದು ನೋಡಬೇಕು. First stage includes Narayanpur Dam and Canal and some partial foundation in Almatti. It will cost about 248 crores. Out of this, so far we have spent about Rs. 23 crores.

1-30 P.M.

ಶ್ರೀ ಎಂ. ಎಸ್. ಕೃಷ್ಣನ್.—ಮಲ್ಟಿ ಬ್ಯಾಂಕ್‌ನಿಂದ ತಾವು ಎಷ್ಟು ಹಣವನ್ನು ಕೇಳಬೇಕು ಎಂದು ಕೊಂಡಿದ್ದೀರಿ? ಅವರ ಮುಂದೆ ಸಮ್ಮನೆ ಇಟ್ಟುಕಟ್ಟಿರಬೇಕು ಆಗುತ್ತದೆಯೇ, ಸವೆಗೂ ಅವರಿಗೂ ಏನು ಒಪ್ಪಂದವಾಗಿದೆ. ಅವರು ಎಷ್ಟು ಕೊಡುತ್ತೇವೆಂದು ಒಪ್ಪಿಕೊಂಡಿದ್ದಾರೆ ಎಂಬುದನ್ನು ನಾವು ತಿಳಿದುಕೊಳ್ಳಬೇಕಾಗಿದೆ.

ಶ್ರೀ ಸುಭಾಷ್ ಅಸ್ತರೆ.—ಅನೇಕ ಸಾರಿ ಇದರ ಬಗ್ಗೆ ಉತ್ತರ ಈಗಾಗಲೇ ಹೇಳಿದ್ದೇನೆ. The project is divided into several parts—construction stage, canal work, and so on. For all these things they have asked a number of details which we have given with the estimated cost. It is at the stage of proceeding. It is not finalised. We have not gone to the stage of telling how much we require, how much they will give and all that. Now and then some new information is asked for and they are being furnished. We are hopeful of starting the work next year.

X-Ray Plant in P. W. Hospital at Jamkhandi.

260. **SRI P. M. BANGI (Jamkhandi)**—Will the Minister for Health be pleased to state :—

(a) whether the Government is aware that the X-Ray Plant (Holland made) installed in P. W. Hospital at Jamkhandi has gone out of order since more than six months ;

(b) the amount spent for the repairs of the plant since last four years ;

(c) whether the Board of Visitors of the P. W. Hospital at Jamkhandi have requested the Government to replace the old X-Ray Plant by new indigenous plant ;

(d) whether the Government has assured to provide a new X-Ray plant to the said P. W. Hospital during the current year ;

(e) the steps taken by Government so far to provide the same ?

SRI H. M. CHANNABASAPPA (Minister for Health).—

(a) Yes.

(b) Rs. 15,611.76

(d) Yes.

(e) No.

(e) The matter is under examination.

ಶ್ರೀ ಪಿ. ಎಂ. ಬಂಗಿ.—ಸ್ವಾಮಿ, ಜಮೀಂದಾರಿ ಕಾಟೇಜ್ ಹಾಟೆಲ್ ಬಹಳ ಮಹತ್ವವು ವಂಥಾದ್ದು. ಅಲ್ಲಿಗೆ ನೂರಾರು ರೋಗಿಗಳು ಬಂದು ಹೋಗುತ್ತಿರಾತ್ತಾರೆ ಅಲ್ಲಿಯ ಕ್ಷೀರಣ ಸಂಯಾಗಿ ಇಲ್ಲದೇ ಇರುವುದರಿಂದ ಪೈವೆಟ್ ನರ್ಸಿಂಗ್ ಹೋಂಗಳಿಗೆ ಹೋಗಿ ಫೋಟೋವನ್ನು ತೆಗೆಯಿಸಿ ಕೊಳ್ಳಬೇಕಾಗಿದೆ ಇದರ ಬಗ್ಗೆ ಸರ್ಕಾರದವರ ಗಮನ ಬಿದ್ದಿದೆಯೇ ?

† ಶ್ರೀ ಎಚ್. ಎ. ಚನ್ನಬಸಪ್ಪ.—ಅದು ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿದೆ ಅದನ್ನು ರಿಪ್ಲೇಸ್ ಮಾಡುವುದಕ್ಕೆ ಪ್ರಯತ್ನ ಮಾಡುತ್ತೇವೆ

ಶ್ರೀ ಪಿ. ಎಂ. ಬಂಗಿ.—ಸ್ವಾಮಿ, ಇದರ ಬಗ್ಗೆ ನಾನು ಕಳೆದ ವರ್ಷ ಆರೋಗ್ಯ ಇಲಾಖೆಯವರಿಗೆ ಪತ್ರ ಬರೆದಿದ್ದಕ್ಕೆ ಅವರು ಉತ್ತರದಲ್ಲಿ ೧೯೭೫-೭೬ರ ಬಗ್ಗೆ ನಲ್ಲಿ ಪಾವಿಜನ್ ಇಲ್ಲ ಅದರಿಂದ ೧೯೭೬ ೭೭ರಲ್ಲಿ ಕೊಡುತ್ತೇವೆಂದು ಉತ್ತರ ಕೊಟ್ಟಿದ್ದಾರೆ ಅದಾದಿಂದ ಈ ವರ್ಷವೇ ಅಲ್ಲಿಗೆ ರಿಪ್ಲೇಸ್ ಮಾಡುವುದಕ್ಕೆ ತಾವು ಯೋಚನೆ ಮಾಡುತ್ತೀರಾ ಸ್ವಾಮಿ ?

ಶ್ರೀ ಎಚ್. ಎಂ. ಚನ್ನಬಸಪ್ಪ.—ರಿಪ್ಲೇಸ್ ಮಾಡತಕ್ಕಂಥ ಯೋಚನೆ ಮಾಡಿದ್ದೇವೆಂದು ನಾನು ಆಗಲೇ ಉತ್ತರ ಹೇಳಿದೆ.

MADAM SPEAKER.—Now questions are over.

QUESTIONS FOR ANSWERS ON THE DAY

(but not taken up)

Wadi Road in Chitapur Taluk

16. SMT VIJAYA DESAI (Chitapur)—Will the Minister for Public Works be pleased to state :—

(a) the date on which the Wadi link road in Chitapur Taluk, Gulbarga District was sanctioned (connecting Shahabad-Chitapur road to Wadi) :

(b) when the same was expected to be completed ?

SRI M. MALLIKARJUNASWAMY (Minister for Public Works).—

(a) 7th January 1970.

(b) By March, 1972.

Delegation of Power to A. E. and E. E. to accord sanction for repair of road.

44. SRI G. PUTTASWAMY (Mudgere)—Will the Minister for public Works be pleased to state :—

(a) whether Government intend delegating powers to the Assistant Engineers to make or estimate for repairs of the Roads upto a financial limits of Rs. 10,000 and to the Executive Engineer upto a limit of Rs. 25,000 with a view to avoid delay :